





二合一二段式精密材料整平機系列

2 IN 1 TWO PLANE PRECISION UNCOILER & LEVELER




【GMT型】



【GWT、GXT、GOT、GLT型】



【MLT、MLAT型】



特性 FEATURES

- ❑ 材料架、整平機合而為一，不佔空間。
2 in 1 Uncoiler & Leveler is designed for saving the space.
- ❑ 此機台採用二段式整平方式，材料內外徑無須調整，可提升材料平整度及穩定性。
The unique 2 sections leveling designed for solving the high flatness and leveling stability of material requirement.
- ❑ 整平頭採氣壓可掀式擦拭方便且操作容易，可確保及提升產品品質。
Open-Top type leveler designed for easy maintenance operation.
- ❑ 採用簡單的分離式電器箱控制，易於機台操作。
Friendly operation controlled by adopting the independent control cabinet.
- ❑ 本機採用雙變頻器可減少料面因啟動而造成材料表面刮傷，降低損壞率。
Adopting the dual inverter driving motors to reduce the scratching problem of the material surface.
- ❑ 此機型附有手搖式入料導料裝置，可提高入料效率。
Manual type In-feed guiding device to simplify the coil loading operation.
- ❑ 可依照客戶特別要求設計加裝壓料機械手臂、油壓擴張裝置…等，以增加工作效率及提高安全性。
Custom-made accessories for Pneumatic hold down arm; Hydraulic expansion uncoiler...etc. It is welcome for any of your special demand to create your own suitable machine.

規格 Specification

GMT 0.1~0.6mm 系列 -- GMT Series

型式Model	GMT-150	GMT-200	GMT-300	GMT-400
材料寬(mm)Width of material	150	200	300	400
材料厚(mm)Thickness of material	0.1~0.6			
整平滾輪(mm)Work roll	20X22支			
整平馬達(HP)Leveler motor	1	1	1	1
整平變頻器(KW)Inverter	0.75	0.75	0.75	0.75
材料外徑(mm)Coil O.D.	800	800	1200	1200
材料內徑(mm)Coil I.D.	300~520		450~520	
材料重量(Kg)Coil weight	300	300	800	1500
主軸Uncoiler Mandrel	50	50	70	90
料架馬達(HP)Uncoiler motor	1/2	1/2	1/2	1
料架變頻器(KW)Inverter	0.75	0.75	0.75	0.75

GWT 0.2~1mm系列 -- GWT Series

型式Model	GWT-150	GWT-200	GWT-300	GWT-400	GWT-500	GWT-600
材料寬(mm)Width of material	150	200	300	400	500	600
材料厚(mm)Thickness of material	0.2~1					
導料滾輪(mm)Feed roll上 Up	60X1					
導料滾輪(mm)Feed roll下 Down	60X1					
整平滾輪(mm)Work roll	30X20支					
整平馬達(HP)Leveler motor	1	1	1	2	2	2
整平變頻器(KW)Inverter	0.75	0.75	0.75	1.5	1.5	1.5
材料外徑(mm)Coil O.D.	1200					
材料內徑(mm)Coil I.D.	450~520					
材料重量(Kg)Coil weight	800	800	800	1500	2000	2000
主軸 Uncoiler Mandrel	70	70	70	90	105	105
料架馬達(HP)Uncoiler motor	1/2	1/2	1/2	1	1	1
料架變頻器(KW)Inverter	0.75	0.75	0.75	0.75	0.75	0.75



GXT 0.3-1.2mm—GXT Series

型式Model	GXT-200	GXT-300	GXT-400	GXT-500	GXT-600	GXT-700	GXT-800
材料寬(mm)Width of material	200	300	400	500	600	700	800
材料厚(mm)Thickness of material	0.3-1.2						
導料滾輪(mm)Feed roll上 Up	60X1支						
導料滾輪(mm)Feed roll下 Down	60X1支						
整平滾輪(mm)Work roll	40×14支	40×14支	40×14支	40×14支	40×14支	40×14支	50×14支
整平馬達(HP)Leveler motor	1	2	2	2	3	3	5
整平變頻器(KW)Inverter	0.75	1.5	1.5	1.5	2.2	2.2	3.7
材料外徑(mm)Coil O.D.	1200						
材料內徑(mm)Coil I.D.	450~520						
材料重量(Kg)Coil weight	800	800	1500	2000	2000	3000	3000
主軸Uncoiler Mandrel	70	70	90	105	105	135	135
料架馬達(HP)Uncoiler motor	1/2	1/2	1	1	1	2	2
料架變頻器(KW)Inverter	0.75	0.75	0.75	0.75	0.75	1.5	1.5

GOT 0.5~2mm系列 -- GOT Series

型式Model	GOT-200	GOT-300	GOT-400	GOT-500	GOT-600	GOT-700	GOT-800	GOT-900	GOT-1000
材料寬(mm)Width of material	200	300	400	500	600	700	800	900	1000
材料厚(mm)Thickness of material	0.5~2								
導料滾輪(mm)Feed roll上 Up	60X1支								
導料滾輪(mm)Feed roll下 Down	78X1支								
整平滾輪(mm)Work roll	50X14支	50X14支	50X14支	50X14支	50X14支	60X14支	60X14支	60X14支	60X14支
整平馬達(HP)Leveler motor	1	2	2	2	3	3	5	5	7.5
整平變頻器(KW)Inverter	0.75	1.5	1.5	1.5	2.2	2.2	3.7	3.7	5.5
材料外徑(mm)Coil O.D.	1200								
材料內徑(mm)Coil I.D.	450~520								
材料重量(Kg)Coil weight	800	800	1500	2000	2000	3000	3000	5000	5000
主軸Uncoiler Mandrel	70	70	90	105	105	135	135	165	165
料架馬達(HP)Uncoiler motor	1/2	1/2	1	1	1	2	2	3	3
料架變頻器(KW)Inverter	0.75	0.75	0.75	0.75	0.75	1.5	1.5	2.2	2.2

* MLT系列與GOT系列規格相同 (MLT-400~1000)


GLT 0.5~3mm系列 -- GLT Series

型式Model	GLT-200	GLT-300	GLT-400	GLT-500	GLT-600	GLT-700	GLT-800	GLT-900	GLT-1000
材料寬(mm)Width of material	200	300	400	500	600	700	800	900	1000
材料厚(mm)Thickness of material	0.5~3								
整平馬達(HP)Leveler motor	1	2	2	3	3	5	5	7.5	7.5
整平變頻器(KW)Inverter	0.75	1.5	1.5	2.2	2.2	3.7	3.7	5.5	5.5
導料滾輪(mm)Feed roll上 Up	60X1支					66X1支		72X1支	
導料滾輪(mm)Feed roll下 Down	78X1支					78X1支		78X1支	
整平滾輪(mm)Work roll	60X14支	60X14支	60X14支	60X14支	60X14支	66X14支	66X14支	72X14支	72X14支
材料外徑(mm)Coil O.D.	1200								
材料內徑(mm)Coil I.D.	450~520								
材料重量(Kg)Coil weight	800	800	1500	2000	2000	3000	3000	5000	5000
主軸Uncoiler Mandrel	70	70	90	105	105	135	135	165	165
料架馬達(HP)Uncoiler motor	1/2	1/2	1	1	1	2	2	3	3
料架變頻器(KW)Inverter	0.75	0.75	0.75	0.75	0.75	1.5	1.5	2.2	2.2

* MLAT系列與GLT系列規格相同 (MLAT-400~1000)



標準附件 Standard accessories

- ❑ 氣壓式整平頭掀開裝置
Pneumatic Open Top Leveler device.
- ❑ 手搖式入料導料裝置
Manual operation In-feed guiding device.
- ❑ 雙動力及雙變頻裝置
Powered Uncoiler & Leveler with inverter control.
- ❑ 二點式微調裝置3組(附百分錶)
Leveler 2 points micro adjustment with 3 sets of micro gauge.
- ❑ 落地式感應裝置
Floor type loop control stand.
- ❑ 拖料架
Material holder.
- ❑ A字型擋料架X4支
A frame type coil side keeper.



特殊附件 Optional accessories

- ❑ 材料架油壓擴張裝置
Uncoiler hydraulic expansion device.
- ❑ 壓料機械手臂
Material pressing arm.
- ❑ 固定式擋料架
Roller type coil side keeping unit.
- ❑ 超音波自我控速系統裝置
Supersonic Speed control device.
- ❑ 光電感應裝置
Electric photo sensor. (Coil ending detection sensor)
- ❑ 送料台車：可上升下降及前進後退，入料自動化
Coil car. (Coil loading assisting device)



CHEN HSIN ENTERPRISE CO., LTD